

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

No claims have been amended.

**Claim 1 (Original):** A recording and/or reproducing apparatus which reproduces audio and/or video (AV) data read from a storage medium in an interactive mode, the apparatus comprising:

an ENAV buffer in which is loaded an ENAV file; and

an ENAV engine which interprets and reproduces the buffered ENAV file to be reproduced with the AV data in the interactive mode,

wherein the ENAV engine allocates at least a portion of the ENAV buffer as an updateable markup area based on ENAV buffer configuration information, reads the ENAV file, and loads the ENAV file in the updateable markup area of the ENAV buffer.

**Claim 2 (Original):** The recording and/or reproducing apparatus of claim 1, further comprising:

an AV buffer in which is loaded an AV file containing the AV data read from the storage medium; and

an AV reproducing engine which reproduces the buffered AV file from the AV buffer.

**Claim 3 (Original):** The recording and/or reproducing apparatus of claim 1, wherein:  
the ENAV file is one of a plurality of ENAV files used in the interactive mode,  
a loading information file includes the ENAV buffer configuration information, and  
the ENAV engine reads the ENAV buffer configuration information included in the loading information file to obtain information regarding a name and a location of a predetermined one of the plurality of ENAV files to be first read before remaining ones of the ENAV files.

**Claim 4 (Original):** The recording and/or reproducing apparatus of claim 1, wherein:  
a loading information file includes the ENAV buffer configuration information, and  
the ENAV engine reads the ENAV buffer configuration information recorded in the loading information file using a memory element to indicate the ENAV file is to be buffered in the updateable markup area instead of in another area of the ENAV buffer.

**Claim 5 (Original):** The recording and/or reproducing apparatus of claim 1, wherein:  
a loading information file includes the ENAV buffer configuration information, and  
the ENAV engine reads as the ENAV buffer configuration information, a name and a size of a memory area recorded in the loading information file using attributes of a memory element to indicate the ENAV file is to be buffered in the updateable markup area instead of another area of the ENAV buffer.

**Claim 6 (Original):** The recording and/or reproducing apparatus of claim 1, wherein:  
a loading information file includes the ENAV buffer configuration information,  
a start up file is included in a directory for the ENAV file and is linked to the loading information file, and  
the ENAV engine detects the startup file from the directory, and reads the ENAV buffer configuration information recorded in the loading information file linked to the startup file.

**Claim 7 (Original):** A recording and/or reproducing apparatus which reproduces audio and/or video (AV) data from a storage medium in an interactive mode, the apparatus comprising:  
an ENAV buffer in which is to be loaded an ENAV file for providing a predetermined Internet service; and  
an ENAV engine which interprets and reproduces the buffered ENAV file to be reproduced with the AV data in the interactive mode,  
wherein the ENAV engine allocates at least a portion of the ENAV buffer as an updateable markup area based on ENAV buffer configuration information, reads the ENAV file, and loads the ENAV file into the updateable markup area of the ENAV buffer to provide the predetermined Internet service in the interactive mode.

**Claim 8 (Original):** The recording and/or reproducing apparatus of claim 7, further comprising:  
an AV buffer in which is loaded an AV file containing the AV data read from the storage medium; and  
an AV reproducing engine which reproduces the buffered AV file.

**Claim 9 (Original):** The recording and/or reproducing apparatus of claim 7, wherein:  
the ENAV file is one of a plurality of ENAV files used in the interactive mode,  
a loading information file includes the ENAV buffer configuration information; and  
the ENAV engine reads the ENAV buffer configuration information to obtain information regarding a name and a location of a predetermined one of the ENAV files to be first read.

**Claim 10 (Original):** The recording and/or reproducing apparatus of claim 7, wherein:  
a loading information file includes the ENAV buffer configuration information; and  
the ENAV engine reads the ENAV buffer configuration information using a memory element that indicates whether the ENAV file is to be buffered in the updateable markup area.

**Claim 11 (Original):** The recording and/or reproducing apparatus of claim 7, wherein:  
a loading information file includes the ENAV buffer configuration information; and  
the ENAV engine reads as the ENAV buffer configuration information, a name and a size of a memory area recorded in the loading information file using attributes of a memory element in the loading information file and which indicates whether the ENAV file is to be buffered in the allocated portion of the ENAV buffer.

**Claim 12 (Original):** The recording and/or reproducing apparatus of claim 7, wherein:  
a loading information file includes the ENAV buffer configuration information;  
a startup file is in a directory including the ENAV file and is linked to the loading information file, and  
the ENAV engine detects the loading information file from the startup file read from the directory, and reads the ENAV buffer configuration information recorded in the loading information file linked to the startup file.

**Claim 13 (Original):** The recording and/or reproducing apparatus of claim 4, wherein:  
the loading information file is stored on the storage medium which stores the AV data,  
and  
the ENAV engine reads the ENAV buffer configuration information using the loading  
information file read from the storage medium.

**Claim 14 (Original):** The recording and/or reproducing apparatus of claim 13, wherein:  
the memory element indicates  
a location of the ENAV file as being on another storage medium other than  
the storage medium from which the AV data is read, and  
a location of another ENAV file as being on the storage medium, and  
the ENAV engine loads one of the ENAV files determined to be an updateable markup  
file to be buffered into the allocated updateable markup area of the ENAV buffer, and loads the  
other one of the ENAV files determined not to be an updateable markup file into another portion  
of the ENAV buffer other than the updateable markup area and which is not allocated for the  
updateable markup file.

**Claim 15 (Original):** The recording and/or reproducing apparatus of claim 14, wherein  
the another storage medium comprises a server connected to the ENAV buffer.

**Claim 16 (Original):** A recording and/or reproducing apparatus which reproduces first  
data and interactive data read from a storage medium in an interactive mode, the apparatus  
comprising:

- a first engine which reproduces the first data for use in the interactive mode;
- a buffer in which is loaded an interactive file to be reproduced with the first data in the  
interactive mode; and
- an engine which detects configuration information from the interactive data read from the  
storage medium for the interactive file to be read, allocates a portion of the buffer to be reserved  
for an updateable interactive file prior to receiving the interactive file, uses the configuration  
information to buffer the interactive file to be reproduced in the allocated portion if the interactive  
file is the updateable interactive file, and reproduces the interactive file from the allocated portion  
to be reproduced with the reproduced first data in the interactive mode.

**Claim 17 (Original):** The recording and/or reproducing apparatus of claim 16, wherein the engine interprets the configuration information using the interactive data reproduced from the storage medium.

**Claim 18 (Original):** The recording and/or reproducing apparatus of claim 17, wherein the interactive data read from the storage medium includes buffer allocation information, and the engine allocates the allocated area of the buffer using the buffer allocation information.

**Claim 19 (Original):** The recording and/or reproducing apparatus of claim 16, wherein the configuration information includes buffer allocation information, and the engine allocates the allocated area of the buffer using the buffer allocation information.

**Claim 20 (Original):** The recording and/or reproducing apparatus of claim 16, wherein the engine allocates the allocated area of the buffer using size information provided by another storage medium external to the storage medium and which provides the interactive file to the apparatus.

**Claim 21 (Original):** The recording and/or reproducing apparatus of claim 20, further comprising another apparatus connected to the interactive buffer through a network, wherein the another storage medium is in the another apparatus.

**Claim 22 (Original):** The recording and/or reproducing apparatus of claim 21, wherein the another apparatus comprises a server.

**Claim 23 (Original):** The recording and/or reproducing apparatus of claim 16, wherein the engine allocates the allocated area of the buffer using size information provided by a size detected from the interactive file to be read from the storage medium.

**Claim 24 (Original):** The recording and/or reproducing apparatus of claim 16, wherein the engine detects a loading information file indicating an order of interactive files to be reproduced, and buffers the interactive file in the buffer using the loading information file.

**Claim 25 (Original):** The recording and/or reproducing apparatus of claim 16, wherein:  
the engine detects a loading information file indicating:

a location of the interactive file to be reproduced using information that indicates  
and distinguishes between a location on one of the storage medium and on another storage  
medium other than the storage medium, and

buffer information of the interactive file using information that indicates and  
distinguishes that the interactive file is to be buffered in one of the allocated portion of the buffer  
and another portion of the buffer not allocated for the updateable interactive file, and

the engine selectively buffers the interactive file in the allocated and another portions of  
the buffer according to the buffer information.

**Claim 26 (Original):** The recording and/or reproducing apparatus of claim 16, wherein,  
if the interactive file has been updated as compared to the interactive file currently buffered, the  
engine buffers the updated interactive file in the allocated portion to replace the interactive file  
currently buffered.

**Claim 27 (Original):** The recording and/or reproducing apparatus of claim 26, wherein  
the interactive file and the updated interactive file are buffered from another storage medium  
connected to the buffer and other than the storage medium having the first data.

**Claim 28 (Original):** The recording and/or reproducing apparatus of claim 16, further  
comprising a display, wherein:

the first data includes an image, and

the first engine reproduces the first data to provide the image to be displayed in a first  
portion of the display and the engine reproduces the interactive file to provide an interactive  
display in a second portion of the display other than the first portion.

**Claim 29 (Original):** The recording and/or reproducing apparatus of claim 28, further  
comprising an audio output, wherein the first data includes audio data to be reproduced through  
the audio output with the image.

**Claim 30 (Original):** The recording and/reproducing apparatus of claim 28, wherein the first data includes a video comprising the image.

**Claim 31 (Original):** The recording and/reproducing apparatus of claim 16, further comprising an audio output, wherein the first data includes audio data to be reproduced through the audio output as the reproduced interactive file is reproduced.